

Maine DOT	Product Evaluation Plan	4/1/2022
		Grouts
<b>Conset Grout - NY</b>		<b>12-063</b>
ChemMasters		
MeDOT Re-cert. Due		2/6/2025
Use		
Mixing Dilution		9.0 pints/50 lbs.
<b>General Purpose Non-shrink Grout</b>		<b>20-090</b>
The QUIKRETE Companies		
MeDOT Re-cert. Due		8/6/2025
Use		
Mixing Dilution		5 quarts/50 lbs.
<b>Harris Construction Grout</b>		<b>11-013</b>
Whitecap		
MeDOT Re-cert. Due		9/12/2023
Use		Keyways and Anchoring Prequalified for Anchoring
Mixing Dilution		8.0 pints/50 lbs.
<b>Keligrout</b>		<b>00-074</b>
Kelken Construction Systems		
MeDOT Re-cert. Due		7/31/2023
Use		Polyester Resin
Mixing Dilution		Pre-portioned
<b>NC Grout</b>		<b>31-000</b>
Euclid Chemical Co.		
MeDOT Re-cert. Due		12/11/2022
Use		Keyways and Anchoring Prequalified for Anchoring
Mixing Dilution		8.0 pints/50 lbs.
<b>NS Grout</b>		<b>00-053</b>
Euclid Chemical Co.		
MeDOT Re-cert. Due		12/11/2022
Use		Keyways and Anchoring Prequalified for Anchoring
Mixing Dilution		8.0 pints/50 lbs.

**PlaniGrout 712****16-074**

MAPEI Corp.

MeDOT Re-cert. Due

10/21/2026

Use

Mixing Dilution

4.23 quarts/50 lbs.

**ProSpec High Strength  
Precision Grout****19-025**

H.B. Fuller Construction Products, Inc.

MeDOT Re-cert. Due

5/7/2024

Use

Keyways

Mixing Dilution

4.0 quarts/50 lbs.

**Quikrete Non-shrink Precision  
Grout****19-053**

The QUIKRETE Companies

MeDOT Re-cert. Due

8/14/2024

Use

Mixing Dilution

9.0 pints/50 lbs.

**SC Multipurpose Grout****21-066**

SpecChem, LLC

MeDOT Re-cert. Due

9/16/2026

Use

SCMPG-50

A, B, C

Mixing Dilution

**SikaGrout 212****39-000**

Sika Corporation

MeDOT Re-cert. Due

2/10/2026

Use

Keyways and Anchoring  
Prequalified for Anchoring

Mixing Dilution

6.5 pints/50 lbs.

**SilproGrout 424****15-042**

SILPRO, LLC

MeDOT Re-cert. Due

1/11/2026

Use

Keyways and Anchoring  
Prequalified for Anchoring

Mixing Dilution

9.0 pints/50 lbs.

## Grouts

**SureGrout****09-042**

Kaufman Products, Inc.

MeDOT Re-cert. Due

9/12/2023

Use

Keyways and Anchoring  
Prequalified for Anchoring

Mixing Dilution

6.8 pints/50 lbs.

**SureGrout5000****21-001**

Kaufman Products, Inc.

MeDOT Re-cert. Due

3/15/2026

Use

Prequalified for Anchoring  
6500

Mixing Dilution

**TammsgROUT Supreme****43-000**

Euclid Chemical Co.

MeDOT Re-cert. Due

12/11/2022

Use

Mixing Dilution

7.2 pints/55 lbs.

**US Spec GP Grout****20-125**

US Mix

MeDOT Re-cert. Due

1/29/2026

Use

Mixing Dilution

4.0 quarts/50 lbs.

**US Spec HE Grout****21-033**

US Mix

MeDOT Re-cert. Due

5/17/2026

Use

Mixing Dilution

40 F minimum  
4.0 quarts/50 lbs.**US Spec MP Grout****20-124**

US Mix

MeDOT Re-cert. Due

1/29/2026

Use

Mixing Dilution

4.0 quarts/50 lbs.

**US Spec RA Grout****17-001**

US Mix

MeDOT Re-cert. Due

6/13/2022

Use

Mixing Dilution

7.75 quarts/50 lbs.